Qty:

30 Um:

Each

: 350 SKIDTUBE EXTRUSION (BENT)

: D26003BENT

: N/A

: D1/F

: 24/11/2008

: D2600 D1/D2750 F

Date:

Monday, 17/11/2008 12:57:47 PM

User:

COSS Admin

## **Process Sheet**

**Drawing Name** 

**Part Number** 

Material

**Due Date** 

**Drawing Number** 

**Project Number** 

**Drawing Revision** 

Customer

: CU-DAR001 Dart Helicopters Services

**Job Number Estimate Number** 

Type

: 43495 : 10997

P.O. Number

This Issue Prsht Rev.

: 17/11/2008 S.O. No. :

: NC

: 11 First Issue

: 43161 **Previous Run** 

Written By

Checked & Approved By

Comment

: Est. B02.11.28 Reformat KJ

08-09-30 D2750 revF as per dwg DD verified by:EC Est Rev:C

: SKIDTUBES

**Additional Product** 

Job Number:

Seq. #:

2.0

Machine Or Operation:

1.0 D26003120

Comment: Qty.:

Pick: Qty

BENDING

1

1.0000 Each(s)/Unit

Total:

30.0000 Each(s)

**Extrusion Bent** 

Part Number

D2600-3

Extrusion

Description

37756

Batch

BENDING MACHINE - SKIDTUBES

Description:

Extrusion Round 3" 350

Comment: BENDING MACHINE

Deburr one end of extrusion Drill #30 pilot holes using DT8689

Open holes to 5/16" and deburr

Bend using CNC bending machine as per program 2750.C and Folio FT003.

Use 5/16 locator pin on buggy "A".

Check fit to Jig DT8150

3.0 QC5

INSPECT WORK TO CURRENT STEP

Comment: INSPECT WORK TO CURRENT STEP

Inspect work to Step 6Ensure fit to Jig DT8150

4.0 PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:\_\

5L 8-11-28





3L8-11-28



Dart Aerospace Ltd	Dart	Aeros	pace	Ltd
--------------------	------	-------	------	-----

Dait Aci	Ospace	Liu								
W/O:			WC	RK ORDER CHANGE	S					
DATE	STEP	PRO	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
									1	
	ವ			.,						
									·	
Part No		PAR #:	Fault Cate	gory:	NCR: Yes	No <b>DQ</b>	<b>A</b> :	Date:		
	R	esolution:	Disposition	n:	QA: N/C C	QA: N/C Closed: Date:				
NCR:		1	WORK ORD	ER NON-CONFORMA	NCE (NC	₹)				
		Description of NC		on B Verification			Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign o	& Sect	Section C	Chief Eng	QC Inspector	

NOTE: Date & initial all entries

Date: User: Monday, 17/11/2008 12:57:47 PM

COSS Admin

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350 SKIDTUBE EXTRUSION (BENT)

Job Number: 43495

Part Number: D26003BENT

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

5.0

QC21

FINAL INSPECTION/W/O RELEASE



08)12/01 \$ MF 08:11-28

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Da	art	Α	er	0	sp	a	C	е	Ľ	td	
----	-----	---	----	---	----	---	---	---	---	----	--

**\*** 

Dait Aerospace Liu								
W/O:			WORK ORDER (	CHANGES				
DATE	STEP	PR	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Category:	NCR: Ye	es No DC	)A:	Date: _	
	Resolution	on:	Disposition:	QA: N/C	Closed: _		Date: _	

NCR:		\	WORK ORD	ER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B	Verification	Ammerical	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description  Chief Eng	Sign & Date	Section C	Approval Chief Eng	QC Inspector
			1 1					

NOTE: Date & initial all entries

QTY							
X					QTY -044	PART NUMBER	DESCRIPTION
X   D2750-043   350 SKIDTUBE ASSEMBLY, LH		Х				D2750-041	
X D2750-044   350 SKIDTUBE ASSEMBLY, RH			X			D2750-042	350 SKIDTUBE ASSEMBLY, RH
1				Х		D2750-043	350 SKIDTUBE ASSEMBLY, LH
8 8 8 8 D2743 SPACER  1 1 1 1 1 02744 CAP  8 8 8 8 8 D2745 BUSHING  1 D2750-1 SKIDTUBE WELDMENT, LH  1 D2750-2 SKIDTUBE WELDMENT, RH  1 D2750-3 SKIDTUBE WELDMENT, RH  1 D2750-4 SKIDTUBE WELDMENT, RH  1 D3488-041 BLADE FITTING, LH  1 D3488-042 BLADE FITTING, LH  1 D3490-1 SPACER  4 4 D3490-1 SPACER  4 4 D3490-5 SPACER  8 8 8 D3492-041 PLUG ASSEMBLY  8 8 D3492-043 PLUG ASSEMBLY  8 8 D3492-045 PLUG ASSEMBLY  1 1 1 D3535-25 WEARSHOE  1 1 1 1 D3793-1 WEARPAD  8 8 8 D3631-1 WASHER  1 1 1 1 D3794-3 GASKET  1 1 1 1 D3794-3 GASKET  3 3 3 3 3 ASSEMBLY  1 1 1 1 D3794-3 GASKET  3 3 3 3 ASSEMBLY  1 1 1 1 D3794-3 GASKET  1 1 1 1 D3794-3 GASKET  3 3 3 3 ANGOCOLOL WASHER  1 1 1 1 ANGOCORIOL WASHER  1 1 1 1 1 ANGOCORIOL WASHER  1 1 1 1 1 ANGOLORIOL WASHER					X	D2750-044	350 SKIDTUBE ASSEMBLY, RH
8 8 8 8 D2743 SPACER  1 1 1 1 1 02744 CAP  8 8 8 8 8 D2745 BUSHING  1 D2750-1 SKIDTUBE WELDMENT, LH  1 D2750-2 SKIDTUBE WELDMENT, RH  1 D2750-3 SKIDTUBE WELDMENT, RH  1 D2750-4 SKIDTUBE WELDMENT, RH  1 D3488-041 BLADE FITTING, LH  1 D3488-042 BLADE FITTING, LH  1 D3490-1 SPACER  4 4 D3490-1 SPACER  4 4 D3490-5 SPACER  8 8 8 D3492-041 PLUG ASSEMBLY  8 8 D3492-043 PLUG ASSEMBLY  8 8 D3492-045 PLUG ASSEMBLY  1 1 1 D3535-25 WEARSHOE  1 1 1 1 D3793-1 WEARPAD  8 8 8 D3631-1 WASHER  1 1 1 1 D3794-3 GASKET  1 1 1 1 D3794-3 GASKET  3 3 3 3 3 ASSEMBLY  1 1 1 1 D3794-3 GASKET  3 3 3 3 ASSEMBLY  1 1 1 1 D3794-3 GASKET  1 1 1 1 D3794-3 GASKET  3 3 3 3 ANGOCOLOL WASHER  1 1 1 1 ANGOCORIOL WASHER  1 1 1 1 1 ANGOCORIOL WASHER  1 1 1 1 1 ANGOLORIOL WASHER							
1		1	1	1	1	D2739	WEB
8 8 8 8 02745 BUSHING 1 02750-1 SKIDTUBE WELDMENT, LH 2750-2 SKUDTUBE WELDMENT, RH 1 D2750-3 SKIDTUBE WELDMENT, RH 2750-4 SKET 2750-4 SKIDTUBE WELDMENT, RH 2750-4 SKET 2750-4 SKIDTUBE WELDMENT, RH 2750-4 SKIDTUBE WELDME		8	8	8	8	D2743	SPACER
1		1	1	1	1	D2744	
1 D2750-2 SKIDTUBE WELDMENT, RH D2750-3 SKIDTUBE WELDMENT, LH SKIDTUBE WELDMENT, LH 1 D3488-041 BLADE FITTING, LH 1 D3488-042 BLADE FITTING, LH 1 D3488-042 BLADE FITTING, RH SPACER 4 4 D3490-1 SPACER 4 4 D3490-3 SPACER 8 8 8 D3492-041 PLUG ASSEMBLY 8 8 D3492-043 PLUG ASSEMBLY 8 8 D3492-045 PLUG ASSEMBLY 1 1 1 1 D3535-25 WEARSHOE 1 1 1 1 D3536-25 GASKET 3 3 3 D3537-1 WEARPAD 8 8 8 D3631-1 WASHER 1 1 1 1 D3791-1 WEARSHOE 1 1 1 1 D3791-1 GASKET 1 1 1 1 D3791-1 GASKET 1 1 1 D3794-3 GASKET 3 3 3 B3 38 38 ALS4-1032-225 AKS4-1032-225, AELS-1032-225 34 34 34 34 AN3CSA BOLT 38 38 38 38 38 AN960C10L WASHER 1 1 1 1 AN960C816L WASHER 1 1 1 1 AN960C816L WASHER 1 1 1 1 MS21083C8 NUT		8	8	8	8	D2745	
1 D2750-3 SKIDTUBE WELDMENT, LH 1 D2750-4 SKIDTUBE WELDMENT, RH 1 1 D3488-041 BLADE FITTING, LH 1 1 D3488-042 BLADE FITTING, RH 4 4 4 D3490-1 SPACER 4 4 D3490-3 SPACER 8 8 8 8 D3492-041 PLUG ASSEMBLY 8 8 D3492-043 PLUG ASSEMBLY 1 1 1 D3536-25 WEARSHOE 1 1 1 1 D3536-25 GASKET 3 3 3 3 D3537-1 WEARPAD 8 8 8 D3492-045 WEARSHOE 1 1 1 1 D3794-1 WEARPLATE 1 1 1 1 D3794-1 GASKET 1 1 1 D3794-3 GASKET 3 3 3 3 SASSA-1 GASKET 3 3 3 3 SASSA-1 GASKET		1				D2750-1	
1			1			D2750-2	
1 1 03488-041 BLADE FITTING, LH 1 1 03488-042 BLADE FITTING, RH 4 4 4 4 03490-1 SPACER 4 4 4 0 03490-3 SPACER 4 4 4 0 03490-5 SPACER 8 8 8 03492-041 PLUG ASSEMBLY 8 8 03492-043 PLUG ASSEMBLY 8 8 03492-045 PLUG ASSEMBLY 1 1 1 1 03535-25 WEARSHOE 1 1 1 1 1 03535-25 WEARSHOE 3 3 3 3 03537-1 WEARPAD 8 8 8 03631-1 WASHER 1 1 1 1 03791-1 WEARPAD 1 1 1 1 03791-1 WEARPAD 1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03794-1 GASKET 1 1 1 1 1 03794-3 GASKET 3 3 3 3 3 BASSEMBLY 1 1 1 1 1 03794-3 GASKET 1 1 1 1 1 03794-3 GASKET 3 3 3 3 3 BASSEMBLY 1 1 1 1 1 03794-3 GASKET 1 1 1 1 1 03794-3 GASKET 3 3 3 3 3 BASSEMBLY 1 1 1 1 1 03794-3 GASKET 1 1 1 1 1 03794-3 GASKET 1 1 1 1 1 03794-3 GASKET 3 3 3 3 3 BASSEMBLY 4 4 4 4 4 AN3C6A BOLT 3 3 3 3 3 BOLT 3 3 3 3 BOLT 3 3 3 3 3 BOLT 3 3 3 BOLT 3 3 3 BOLT 3 3 3 BOLT 3 3 BOLT 3 3 BOLT 3 3 3 BOLT 4 4 4 4 A BOSC6A BOLT 4 4 4 4 A BOSC6A BOLT 5 BOLT				1		D2750-3	
1					1		
## 4		1		1		D3488-041	
### 4			1		1	D3488-042	BLADE FITTING, RH
## A		4	4	4	4	D3490-1	SPACER
B 8 8 8 03492-041 PLUG ASSEMBLY B 8 8 D3492-043 PLUG ASSEMBLY  1 1 1 1 03536-25 WEARSHOE GASKET  3 3 3 3 03537-1 WEARPAD B 8 8 8 8 03631-1 WASHER WASHER  1 1 1 1 1 03791-1 WEARPLATE WEARSHOE 1 1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03794-1 GASKET 1 1 1 1 03794-3 GASKET  38 38 38 38 38 ALS4-1032-225 AKS4-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225 AKS4-1032-225 MSS4-1032-225 AKS4-1032-225 AKS4-1032-		4	4			D3490-3	SPACER
8 8 03492-043 PLUG ASSEMBLY 1 1 1 1 1 03535-25 WEARSHOE 1 1 1 1 1 03536-25 GASKET 3 3 3 3 03537-1 WEARPAD 8 8 8 03631-1 WEARPAD 1 1 1 1 1 03791-1 WEARPAD 1 1 1 1 1 03793-1 WEARPHOE 1 1 1 1 1 03794-1 GASKET 1 1 1 1 1 03794-3 BOLT				4	4		
8		8	8	8	8	D3492-041	
1 1 1 1 03535-25 WEARSHOE  1 1 1 1 1 03536-25 GASKET  3 3 3 3 03537-1 WEARPAD  8 8 8 8 03631-1 WEARPAD  1 1 1 1 03791-1 WEARPLATE  1 1 1 1 1 03793-3 WEARSHOE  1 1 1 1 1 03793-3 WEARSHOE  1 1 1 1 1 03794-1 GASKET  1 1 1 1 03794-3 GASKET  38 38 38 38 38 ALS4-1032-225 AKS4-1032-225, AKS4-1032-		8	8			D3492-043	
1				8	8		
3   3   3   3   03537-1   WEARPAD		1	1	1	1	D3535-25	WEARSHOE
B   B   B   B   B   B   D3631-1   WASHER		1	¨ 1	1	1	D3536-25	GASKET
1 1 1 1 03791-1 WEARPLATE 1 1 1 1 1 03793-1 WEARSHOE 1 1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03794-1 GASKET 1 1 1 1 1 03794-3 GASKET 1 1 1 1 1 03794-3 GASKET 38 38 38 38 38 ANSCSA BOLT 34 34 34 34 AN3CSA BOLT 4 4 4 4 ANSCSA BOLT 4 1 1 1 1 ANSCSA BOLT 38 38 38 38 38 ANSCCIOL WASHER 1 1 1 1 1 ANSCSSA BOLT 38 38 38 38 38 ANSCCIOL WASHER 1 1 1 1 1 ANSCSSA BOLT 38 38 38 38 38 ANSCCIOL WASHER 4 4 4 4 MSCIO43-6 NUT	Æ	3	3	3	3	D3537-1	WEARPAD
1 1 1 1 03793-1 WEARSHOE 1 1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03794-1 GASKET 1 1 1 1 03794-3 GASKET 1 1 1 1 03794-3 GASKET 38 38 38 38 ALS4-1032-225 MKS4-1032-225, AELS-1032-225) 34 34 34 34 34 AN3C5A BOLT 4 4 4 4 4 AN3C6A BOLT 1 1 1 1 ANBC35A BOLT 38 38 38 38 38 AN960C10L WASHER 1 1 1 1 1 AN960C816L WASHER 4 4 4 4 4 MS21043-6 NUT 1 1 1 1 MS21083C8 NUT	_	8	8	8	8	D3631-1	WASHER
1 1 1 1 03793-3 WEARSHOE 1 1 1 1 1 03794-1 GASKET 1 1 1 1 03794-3 GASKET 38 38 38 38 38 ALS4-1032-225 MISERT (OR ALS7-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225, AKS4-1032-225) 34 34 34 34 AN3C5A BOLT 4 4 4 4 AN3C6A BOLT 1 1 1 1 AN8C35A BOLT 38 38 38 38 38 AN960C10L WASHER 1 1 1 1 1 AN960C816L WASHER 4 4 4 4 MS21043-6 NUT 1 1 1 MS21063C8 NUT	Γ	1			1	D3791-1	
1 1 1 1 03794-1 GASKET 1 1 1 1 1 03794-3 GASKET 38 38 38 38 38 ALS4-1032-225 MINSERT (OR ALS7-1032-225, AKS4-1032-225, AKS4-10	1	11	1	1	1	D3793-1	
38 38 38 38 38 ALS4-1032-225 INSERT (OR ALS7-1032-225, AKS4-1032-225, AKS4-1032-2	$\wedge$		1		1	D3793-3	WEARSHOE
38 38 38 38 ALS4-1032-225 INSERT (OR ALS7-1032-225, AKS4-1032-225,	Æ j	1	1	1	1	D3794-1	
34 34 34 34 AN3C5A BOLT 4 4 4 4 AN3C6A BOLT 1 1 1 1 AN8C35A BOLT 38 38 38 38 AN960C10L WASHER 1 1 1 1 1 AN960C816L WASHER 4 4 4 4 MS21043-5 NUT 1 1 1 1 MS21083C8 NUT		1	1	1	1	D3794-3	GASKET
34 34 34 34 AN3C5A BOLT 4 4 4 4 AN3C6A BOLT 1 1 1 1 AN8C35A BOLT 38 38 38 38 AN960C10L WASHER 1 1 1 1 1 AN960C816L WASHER 4 4 4 4 MS21043-5 NUT 1 1 1 1 MS21083C8 NUT							
34 34 34 34 AN3C5A BOLT  4 4 4 4 AN3C6A BOLT  4 4 4 4 AN6C44A BOLT  1 1 1 1 AN8C35A BOLT  38 38 38 38 38 AN96OC10L WASHER  1 1 1 1 AN96OC816L WASHER  4 4 4 4 MS21043-5 NUT  1 1 1 1 MS21083C8 NUT	Æ	38	38	38	38	ALS4-1032-225	INSERT (OR ALS7-1032-225, AKS4-1032-225, AELS-1032-225)
4 4 4 4 ANBC44A BOLT  1 1 1 1 ANBC35A BOLT  38 38 38 38 38 AN960C10L WASHER  1 1 1 1 1 AN960C816L WASHER  4 4 4 4 MS21043-6 NUT  1 1 1 1 MS21083C8 NUT	i	34	34	34	34	AN3C5A	BOLT
1 1 1 1 AN8C35A BOLT  38 38 38 38 38 AN960C10L WASHER  1 1 1 1 1 AN960C816L WASHER  4 4 4 4 MS21043-5 NUT  1 1 1 1 MS21083C8 NUT	_	4	4	4	4	AN3C6A	BOLT
38 38 38 38 AN960C10L WASHER 1 1 1 1 AN960C816L WASHER 4 4 4 4 MS21043-6 NUT 1 1 1 1 MS21083C8 NUT		4	4	4	4	AN6C44A	BOLT
1		1	1	1	1	AN8C35A	
4 4 4 4 MS21043-6 NUT 1 1 1 1 MS21083C8 NUT	Α Γ	38	38	38	38	AN960C10L	
1 1 1 MS21083C8 NUT	<u>/F\</u>	1	1	1	1	AN960C816L	
	-	4			<u> </u>		
4 4 4 NAS1515H3I WASHER		1	1	1	1	MS21083C8	
4 4 4 4 10/0/0/02		4	4	4	4	NAS1515H3L	WASHER

W/0 4340

F	INCORPORATE DSI 9413, OTY (3) D3537-1 WAS OTY (5) (ZN C8-1); D3791-1-3-8 REPLACES D3535-13-35 (ZN B8-1); D3794-1-3-8 REPLACES D3536-13-35 (ZN B8-1); ADD D3791-11 (ZN C8-1); WEARSHOE HOLES UNDER FWD/AFT SADDLE REMOVED (8 PL), WEARSHOE HARDWARE OTY UPDATED (ZN B8-1); D3488-041-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	РН	08.07.16			
E	CHANGE TO STAINLESS STEEL WEARPLATES: ADD RUBBER GASKETS; CHANGE INSERTS, ADD D3631-1: REMOVE QTY (38) NAS1515H3L, REMOVE QTY (10) NAS1515H8L; REMOVE D2741, QTY (2) ANS60C816; REMOVE QTY (2) MS21083C8	СВ	07.05.17			
D	ADD HOLES AND SHACERS FOR APICAL FLOATS; INCORPORATE DEO 9133/9157	РН	06.01.05			
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18			
В	CHANGE MS24694-S293 TO AN8-16A	S293 TO AN8-16A CP 98.09.01				
Α	NEW ISSUE	DS	98.04.16			
REV.	DESCRIPTION	BY	DATE			
DESIGN	PART AFROSPACE	A2II	INC			

DESIGN		PORT HADLOCK, WA				
DRAWN	RH					
CHECKED	1.15	DRAWING NO. REV. F				
MFG. APPR.	ASO	D2750 SHEET 1 OF 11				
APPROVED	111	TITLE SCALE				
DE APPR.		350 SKIDTUBE ASSEMBLY NTS				
DATE 08.0	7.16	THIS DOCUMENT BY PRIVATE AND COMPRESSION AS SUPPLIED ON THE EXPRESS CONDITION THAT IF IN MOIT DESIGN BY DESIGN OF COMPRESSION AND THE EXPRESS CONDITION THAT IF IN MOIT DESIGN SUPPLIED AND THE PRESSON WITHOUT THE PRESSON WITHOU				

**GENERAL NOTES:** 

MATERIAL: MAKE D2750-1/-2/-3/-4 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).

FINISH:

ACID ETCH, ALONDE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB.

POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3

BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).

TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

UNITS: INCHES UNLESS OTHERWISE NOTED

BREAK SHARP EDGES: N/A


IDENTIFICATION: N/A

9) 10)

DENTIFICATION: N/A
WEIGHT: D2750-041/-042/-043/-044 = 26.5 LBS
WELD PER DART QSI 004
INSTALL AL.S4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL 'F' SIZE HOLES (Ø0.297) FOR WEARSHOE INSERTS
FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND AFTER INSTALLATION OF INSERTS.
COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF
POWDER COATING WITH MEK DEGREASER.
SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL

5

4



D2750-044 350 SKIDTUBE ASSEMBLY, RH D2750-043 350 SKIDTUBE ASSEMBLY, LH DART AEROSPACE USA, INC. DESIGN DRAWN DRAWING NO. CHECKED REV. F D2750 MFG. APPR. SHEET 3 OF 11 TITLE APPROVED 350 SKIDTUBE ASSEMBLY NT.

COPYRIGHT 6 1998 BY DART AEROSPACE USA, INC.

THIS DOCUMENT I PRIVAL NO DOCUMENT AND ASSEMBLY OF EXPERTS ORDINOR THAT I'VE NOT TO BY USED OTA ANY REPORTS OF COMMANDATION TO MY OTHER PROPRIOR OF COMMANDATION OF THE PROPRIOR OF COMMANDATION OF THE PROPRIOR OF THE PROPRI DE APPR. DATE 08.07.16

